IN THE CLAIMS:

Claims 1-27 are pending in the application, Claims 2, 3, 7-16, 20 and 26 have been withdrawn in view of the election made in the restriction requirement March 22, 2006. Claims 4-6, 17-19, 21-25 have been cancelled.

This listing of claims will replace all prior versions, and listings, of claims in the application:

LISTING OF THE CLAIMS:

- (Currently Amended) A method of converting a fatty acid to its corresponding dicarboxylic acid which comprises:
 - (a) isolating a C. tropicalis POX4 gene promoter;
- (b) isolating a <u>C. tropicalis NCP1B</u> NCP target gene involved in dicarboxylic acid production;
- (c) operably linking the *C. tropicalis POX4* gene promoter to the open reading frame (ORF) of the *NCP* target gene involved in dicarboxylic acid production to create a fusion gene;
 - (d) inserting the fusion gene into an expression vector;
 - (e) transforming a yeast host cell with the expression vector; and
- (f) culturing the transformed yeast host cell in a media containing an organic substrate that is biooxidizable to a mono- or polycarboxylic acid.

2. (Withdrawn) A method for transforming a yeast host cell, said method
comprising:
(a) isolating a POX4 promoter;
(b) isolating a target gene;
(c) operably linking a POX4 promoter to the open reading frame of the target
gene to create a fusion gene;
(d) inserting the fusion gene into an expression vector; and
(e) transforming the host cell with the expression vector.
3. (Withdrawn) The method of Claim 2 wherein the native POX4 gene of the host
cell is disrupted or deleted.
Claim 4-6. (Cancelled).
7. (Withdrawn) The method of Claim 2 wherein the target gene encodes a
member of an ω -hydroxylase complex.
8. (Withdrawn) The method of Claim 7 wherein the target gene coding for a
member of an ω -hydroxylase complex is a CYP, NCP, or CYTb5 gene.

- 9. (Withdrawn) The method of Claim 8 wherein the CYP, NCP, or CYTb5 genes are selected from the group consisting of CYP52A2A, CYP52A5A, NCP1B, or CYTb5 genes.
- 10. (Withdrawn) A host cell comprising a nucleic acid molecule for a *POX4* gene promoter operably linked to the open reading frame of a gene encoding a heterologous protein.
- 11. (Withdrawn) The host cell of Claim 10 wherein the gene encoding a heterologous protein encodes a member of an ω -hydroxylase complex such as any of the CYP, NCP, or CYTb5 genes.
- 12. (Withdrawn) The host cell of Claim 11 wherein the CYP, NCP, or CYTb5 genes are selected from the group consisting of CYP52A2A, CYP52A5A, NCP1B, or CYTb5 genes.
- 13. (Withdrawn) The host cell of Claim 10 selected from the group consisting of Yarrowia, Candida, Bebaromyces, Saccharomyces, Schizosaccharomyces, and Pichia.

14. (Withdrawn) The Candida host cell of Claim 13 selected from the group consisting of C. tropicalis, C. maltosa, C. apicola, C. paratropicalisis, C. albicans, C. cloacae, C. guillermondii, C. intermedia, C. lipolytica, C. parapsilosis, and C. zeylenoides.

15. (Withdrawn) The *Candida* host cell of Claim 14 wherein the host cell is *C. tropicalis*.

16. (Withdrawn) The host cell of Claim 15 wherein the host cell is from a β oxidation blocked strain of *C. tropicalis*.

Claims 17-19. (Cancelled).

20. (Withdrawn) The method of Claim 17 wherein the isolated promoter is from a *C. tropicalis* catalase, citrate synthase, 3-ketoacyl-CoA thiolase A, citrate synthase, O-acetylhomoserine sulphydrylase, protease, carnitine O-acetyltransferase, hydratasedehydrogenase, or epimerase gene.

Claims 21-25. (Cancelled.)

- 26. (Withdrawn)The method of Claim 23 wherein the promoter is from a gene selected from the group consisting of catalase, citrate synthase, 3-ketoacyl-CoA thiolase A, citrate synthase, O-acetylhomoserine sulphydrylase, protease, carnitine O-acetyltransferase, hydratase-dehydrogenase, or epimerase genes.
- 27. (Currently amended) The method of Claim 1 23 wherein the organic substrate is a saturated fatty acid, an unsaturated fatty acid, an alkane, an alkene, an alkyne, or a combination thereof.